labelmate

THE WORLD'S LEADING MANUFACTURER OF LABEL DISPENSERS, REWINDERS, UNWINDERS, SLITTERS & COUNTING SOLUTIONS



UNI-CAT

labelmate.com

Uni-Cat

UNIVERSAL & INTELLIGENT UNI-CAT

The new UNI-CAT is the smartest and most “UNI-VERSATILE” rewinder/unwinder in the Labelmate product range ! With various core sizes, label widths, roll diameters and options to choose from, there is a rewinder/unwinder to fit any job you may have. The new UNI-CAT replaces all CAT-3-TA models (with Tension Arm) and CAT-4 models.

- Self-teaching to work as rewinder or unwinder
- Supports back-feed process for colour inkjet & tension sensitive printers
- Auto-Speed Adjustment to align with printer speed
- Speed up to 125cm/sec to work with the fastest bar-code printers available
- Bi-Directional for internal & external winding
- New maintenance free, soft-touch control panel with LED-Status-Indicators





FEATURES

- Seamlessly detecting & following printer activity: rewinding, idle and unwinding
- UNI-CAT-3-Standard has a Vane-style core Holder
- UNI-CAT-3-ACH employs an adjustable core holder enabling the use of varying core sizes, for maximum flexibility
- UNI-CAT-3-CHUCK includes a quick-locking “Quick-Chuck” permitting the fastest loading and unloading of cores and label rolls
- CHUCK/STANDARD/10-INCHES models come standard for using cores in 76mm. On request available in 38/40/44/70/100 mm. See product catalogue for configuration
- STANDARD/1-INCH/10-INCHES models come standard with inner & outer flanges. For the CHUCK models, the outer flange is optional.
- We recommend to add optional APG-CAT to the ACH and CHUCK models with other diameter than 76mm
- The NEW UNI-CAT is a perfect companion for colour inkjet printers. However, for applications where tight finished rolls are mandatory (e.g. if labels will be used in automatic applicator), we strongly recommend the ZCAT rewinders

DIMENSIONS

- UNI-CAT-STANDARD: W x D x H:300 x 350 x 320 mm
- UNI-CAT-CHUCK: W x D x H:300 x 385 x 320 mm
- UNI-CAT-ACH: W x D x H:280 x 310 x 310 mm
- UNI-CAT-10-INCHES: W x D x H:300 x 455 x 320 mm
- UNI-CAT-1-INCH: W x D x H:220 x 350 x 280 mm
- Shipping Weight: Circa 14 KG, depending precize configuration

GENERAL

- Power Supply: 220-240V- 50Hz DC, Output 15V-4,33A
- Limited Warranty of 5 Years, 1 Year on the Power Supply

labelmate

Your local partner:

+32 2 375 69 60
brussels@labelmate.com

Chaussée de Ruisbroek 290
1620 Drogenbos (Belgium)

www.labelmate.com